


A/C Disconnects



60 amps Non-fused. 240v A.C. Single Phase. UL Listed Three piece construction that opens up mounting and wiring areas, reduces installation time. Terminals approved for 60°C and 75°C wire. Accepts solid 14-8 AWG copper or 12-8 AWG alum., and stranded 14-3 AWG copper or 12-3 AWG alum. Numerous knockouts. Straight-in / Straight-out wiring saves time and money

Only \$7.99 each
In cases of (6)



**Also available with built-in GFCI receptacle !!
Items are in stock. Just ask for pricing !!**



Bussmann
by **FATON**

- A/C disconnects meet NEC® Code Requirements under articles 440.14
- NEMA 3R rainproof enclosures.
- Two-position pullout handle locks safety shield when in the ON position
Pullout handle can be stored in the compartment in the off position.
- Safety shield can be removed without tools.
- Knockouts on back, bottom and both sides.
- Padlockable.
- UL Listed and CSA Certified.

B222-60NF


Only \$7.99 each
In cases of (10)

Ph: (913) 631-6363 (800) 562-4987
Fx: (913) 631-6365 (913) 631-3398
Sales@CalkinsElectric.com
www.CalkinsElectric.com

**Pricing good thru
September 2016,
Subject to change
without notice**

Calkins Electric Supply Co., Inc.

Multiconductor Thermostat Wire



18 Awg
30 volt 60°C
UL Listed
Solid, Twisted conductors
with PVC Jacket

Number of Conductors	Spool Length	Price per Spool
2 conductor	500'	\$39.95
5 conductor	250'	\$48.95
10 conductor	250'	\$99.95

PVC Jacket

We also stock 3, 4, 6, and 8 conductor thermostat wire too!

Ph: (913) 631-6363 (800) 562-4987
Fx: (913) 631-6365 (913) 631-3398
Sales@CalkinsElectric.com
www.CalkinsElectric.com

*Pricing good thru
September 2016,
Subject to change
without notice*

Liquidtight Conduit & Fittings

Malleable Iron Liquidtight Connectors



T&B Liquidtight fittings for flexible metal conduits are suitable for a wide range of installations, including heavy industrial applications. These fittings are designed to stand up to demanding, wet or corrosive environments, including power and petrochemical plants, paper mills, and anywhere high performance is a requirement. Features of T&B Liquidtight fittings include: Safe Edge ground cone design that accepts variations in raceway convolutions and provides a positive bond. Continuous sealing ring which completely surrounds the conduit to ensure a liquid-tight seal. Zinc chromatic plating for longer life and exceptional appearance.

Catalog #	Size	Price Each
5232	1/2" Straight	\$1.79
5233	3/4" Straight	\$2.49
5252	1/2" 90 Degree	\$2.99
5253	3/4" 90 Degree	\$4.59

Metallic Type EF Liquidtight Conduit

Catalog #	Size	Coil Length	Price per Coil
20050	1/2"	100'	\$49.95
20075	3/4"	100'	\$64.95

Boxes & Plates



Metal 2x4 Handy Box
1/2" Knockouts
 Available in
 1 1/2" deep
 1 7/8" deep
 2 1/8" deep





1/4" Raised metal covers for Handy boxes. Switch, Duplex Receptacle, Blank, GFCI and more.

Ph: (913) 631-6363 (800) 562-4987
 Fx: (913) 631-6365 (913) 631-3398
 Sales@CalkinsElectric.com
 www.CalkinsElectric.com

*Pricing good thru
 September 2016,
 Subject to change
 without notice*

Non-metallic Liquidtight Connectors

NMLT5	1/2" Straight		\$1.19
NMLT7	3/4" Straight		\$1.79
NMLT590	1/2" 90 Degree		\$1.89
NMLT790	3/4" 90 Degree		\$2.89

Non-metallic Liquidtight Conduit

Cat #	Size	Coil Length	Price per coil
NM11	1/2"	100'	\$39.95
NM12	3/4"	100'	\$49.95

Weathertight Enclosures

Cat #	WxHxD	Weight	Price each
RSC060604	6x6x4	3.0 lbs	\$17.95
RSC080804	8x8x4	4.0 lbs	\$22.95
RSC101006	10x10x6	7.5 lbs	\$36.95
RSC121204	12x12x4	10.0 lbs	\$39.95
RSC121206	12x12x6	12.0 lbs	\$45.95



Also available in watertight and Non-metallic



Ph: (913) 631-6363 (800) 562-4987
 Fx: (913) 631-6365 (913) 631-3398
 Sales@CalkinsElectric.com
 www.CalkinsElectric.com

*Pricing good thru
 September 2016,
 Subject to change
 without notice*

Air Conditioner Whips



**Pre-assembled, 3 conductor,
Non-metallic, Liquid tight conduit
with (1) straight connector,
(1) 90 connector, and
(4) reducing washers**

Catalog Number	Size	Wire	Price Qty 6+	Price each
LTWHIP12410	1/2" x 4'	10 awg	\$6.96	\$7.96
LTWHIP12610	1/2" x 6'	10 awg	\$8.19	\$9.96
LTWHIP3448	3/4" x 4'	8 awg	\$8.96	\$9.96
LTWHIP3468	3/4" x 6'	8 awg	\$9.96	\$10.96



We are Buss Fuse Headquarters

American made, quality fuses for most every application

Buss fuse is one of the largest fuse suppliers in North America. Buss takes the guesswork out of replacement options. By removing out-of-date cross reference charts other brands offer, Buss eliminates future problems in obtaining replacement fuses. This reduces the chances of incurring a costly machinery failure due to incorrect fuse protection. Calkins' stocks a wide range of fuses and block to meet your every need. Everything from basic cartridge and small glass fuses, to ceramics, low-peaks, and semiconductor fuses, and from 250 milliamps to 1200 Amps.

Ph: (913) 631-6363 (800) 562-4987
 Fx: (913) 631-6365 (913) 631-3398
 Sales@CalkinsElectric.com
 www.CalkinsElectric.com

*Pricing good thru
September 2016,
Subject to change
without notice*

3M Tape

Vinyl Electrical Tape



3M invented vinyl electrical tape and sets the industry standard for quality with a tape for nearly every electrical application.

Cat. #	Color	Size	Type	Price Each
33+	Black	3/4" x 66'	Standard	\$3.99
88	Black	3/4" x 66'	Cold Temp	\$4.49
35*	9 Colors	3/4" x 66'	Standard	\$3.99

Duct Tape



Heavy duty duct tape. Polyethylene coated cloth backing with rubber adhesive. High tack, conformability, strength and easy tear make 3939 ideal for many duct and moisture sealing, holding, protecting and bundling applications.

3M Wire & Cable Ties

Color	Length	Bag Qty	Price per Bag
Black	4"	100	AS LOW AS \$2.95 PER BAG
Black	8"	100	
Black	11"	100	
Black	15"	100	
White	4"	100	
White	8"	100	
White	11"	100	
White	15"	100	



Ph: (913) 631-6363 (800) 562-4987
 Fx: (913) 631-6365 (913) 631-3398
 Sales@CalkinsElectric.com
 www.CalkinsElectric.com

*Pricing good thru
 September 2016,
 Subject to change
 without notice*

TESTERS & METERS

FLUKE Infrared Thermometer Gun



Temperature is often the first indication of potential problems in electrical and mechanical applications. But how can you easily determine if an electrical panel has a hot spot, a motor is overheating or an HVAC system is inefficient? The answer is with an infrared (IR) thermometer. With handheld, non-contact IR thermometers, you can instantly measure equipment temperatures in hard-to-reach or hazardous areas. And with early detection of abnormal temperatures comes early correction of problems. Designed with your on-the-job needs in mind, the new Fluke 62 MAX infrared thermometer is everything you'd expect from the experts in measurement tools. Small in size, extremely accurate and very easy to use. IP54 rated for dust and water resistance. Precise yet rugged enough to take a 3-meter drop. In fact, the 62 MAX is so tough, it's the only IR thermometer around you can handle without care.

Fluke 62-max

\$99.95

FLUKE T5 Series With OpenJaw Current



The Fluke T5 Electrical Testers let you check voltage, continuity and current with one compact tool. With the T5, all you have to do is select volts, ohms, or current and the tester does the rest. OpenJaw™ current lets you check current up to 100A - without breaking the circuit. Its tough test leads stow neatly in the back of the tester, making it easy to tote the T5 in your tool pouch. Detachable SlimReach™ test probes are customized for national electrical standards. The test leads accept optional accessories such as clips and specialty probes.

#T5-600

\$99.95

T5-1000

\$129.95

Santronics #3115

Non-contact Voltage Detector



The **AC Sensor** is the first and only UL listed sensor to be manufactured 100% in the USA. It has the same features as the #3000, but without an audible signal. Determines defective grounds, reverse polarity, and induced voltage. LED light in the tip will glow cherry red upon voltage detection. No on/off switch for quick and convenient use..

\$14.95

Santronics #3000

*Audible & Visual
Non-contact Voltage Detector*



Ultimate AC sensor is a hand held device for determining the presence or absence of 50-600 volts in insulated wires, wall receptacles, fuses, junction boxes, switches and other voltage carrying electrical systems. Has both Audible and Visual signals, and no on/off switch for quick and convenient use. Manufactured in the U.S. A.

\$16.95

Ph: (913) 631-6363 (800) 562-4987

Fx: (913) 631-6365 (913) 631-3398

Sales@CalkinsElectric.com

www.CalkinsElectric.com

*Pricing good thru
September 2016,
Subject to change
without notice*